1999 ANNUAL INDEX OF THE JOURNAL OF COATINGS TECHNOLOGY

Volume 71 — Numbers 888-899
January–December, 1999

Keyword Subject Index

Additives

Defoamers ..... Oct., p. 143
Driers ..... Nov., p. 21
Light Stabilizers ..... Jan., p. 87
Mildewcides ..... Mar., p. 67
Phosphatizing Reagents .... May, p. 61; May, p. 69; Aug., p. 87
Photoinitiators ..... July, p. 61
Rheological/Flow Control ..... Jan., p. 56; Mar., p. 37; Mar., p. 51; Oct., p. 143
Silicones ..... Oct., p. 143
Thickeners ..... Mar., p. 37; Mar., p. 51; Oct., p. 143
Wetting Agents ..... Oct., p. 143

Analysis

Atomic Force Microscopy ..... Apr., p. 45
Differential Scanning Calorimetry ..... May, p. 61; May, p. 69; June, p. 69; Aug., p. 87; Sept., p. 89; Oct., p. 135
Digital Image Analysis ..... July, p. 73
Dynamic Mechanical Properties ..... July, p. 49; Sept., p. 89
Corrosion Testing ..... Aug., p. 75
Electrochemical Impedance ..... May, p. 61; May, p. 69; June, p. 61; Aug., p. 87; Dec., p. 67
ESCA, XPS, Auger, SIMS ..... Jan., p. 56; Jan., p. 87
Fluorescence Spectroscopy ..... May, p. 47
FTIR, ATR ..... Jan., p. 75; Jan., p. 87; Feb., p. 71; May, p. 61; May, p. 69; Aug., p. 103; Sept., p. 73; Oct., p. 135
Gas Chromatography ..... June, p. 53
Gel Permeation ..... Dec., p. 59
Hardness, Scratch Resistance ..... Jan., p. 75; July, p. 49; Sept., p. 73; Oct., p. 143
Morphology ..... Apr., p. 45
Rheology ..... Jan., p. 56; Mar., p. 37; May, p. 61; May, p. 69; June, p. 69; Aug., p. 87; Oct., p. 143
Scanning Electron Microscopy ..... Sept., p. 89
Solvent, VOC ..... Oct., p. 143
Solvent Resistance ..... July, p. 49
Stretch Calorimetry ..... Sept., p. 61
Surface Analysis ..... Jan., p. 56; Jan., p. 75; Feb., p. 91; June, p. 53
Thickener Equilibration ..... Mar., p. 51
Thermal Analysis ..... June, p. 69; Dec., p. 59; Dec., p. 75

Chemical Processes

Corrosion ..... Aug., p. 75; Dec., p. 67
Crosslinking, Cure ..... Jan., p. 75; Feb., p. 85; May, p. 47; June, p. 69; June, p. 77; July, p. 49; Sept., p. 73; Oct., p. 143 Nov., p. 21; Dec., p. 59
Photochemistry ..... Aug., p. 103
Photdegradation ..... Aug., p. 103
Transesterification ..... Feb., p. 85

Classes of Coatings

Aerospace, Aircraft ..... Jan., p. 75; Sept., p. 73
Architectural ..... Mar., p. 51; Mar., p. 61; Mar., p. 67; Aug., p. 75; Aug., p. 103
Automotive ..... Jan., p. 87; Feb., p. 85; May, p. 47; Dec., p. 75
Can ..... Dec., p. 67
EB, UV, Radiation Cure ..... Apr., p. 37; Apr., p. 53; July, p. 61; Sept., p. 79
High Solids ..... Nov., p. 21
Industrial Maintenance ..... Aug., p. 75
Lap Joints ..... June, p. 61
Latex ..... Mar., p. 37; May, p. 47; Aug., p. 97
Marine ..... June, p. 77; Aug., p. 75
Packaging ..... Dec., p. 67
Polyurethanes ..... Oct., p. 143; Dec., p. 59
Powder ..... Apr., p. 37; June, p. 69
Solvent-based ..... June, p. 77
Thermoset ..... Feb., p. 85; Apr., p. 45; July, p. 49; Oct., p. 127
Water-based .... Mar., p. 51; Sept., p. 73; Oct., p. 143; Dec., p. 51

Coatings Components

Acrylics ..... Jan., p. 87; Feb., p. 85; Mar., p. 67; May, p. 47 June, p. 69; July, p. 61; Sept., p. 61; Dec., p. 51
Alkyds ..... Aug., p. 75; Aug., p. 103; Oct., p. 143; Nov., p. 21
Chlorinated Rubber ..... Feb., p. 91
Epoxy Resins .... Feb., p. 71; Apr., p. 45; Apr., p. 53; July, p. 61; July, p. 69
Isocyanates ..... Feb., p. 85; Oct., p. 143; Dec., p. 59
Latexes, Colloids, Emulsions ..... Mar., p. 37; Mar., p. 51; Sept., p. 89; Dec., p. 51
Melamine-Formaldehyde Resins ..... Jan., p. 87; Feb., p. 85; May, p. 47; July, p. 49; Oct., p. 127
Oils (castor, linseed, styrenated, sunflower) ..... June, p. 77
Organosilanes ..... July, p. 69
Photoinitiators ..... Apr., p. 37; Sept., p. 79
Photostabilizers ..... Jan., p. 87; Aug., p. 103
Pigments ..... Feb., p. 71; Apr., p. 37; June, p. 53; July, p. 61
Polyesters ..... Feb., p. 71; Apr., p. 37; May, p. 61; May, p. 69 June, p. 69; Aug., p. 87; Dec., p. 59
Polyurethanes ..... Jan., p. 75; Feb., 71; Apr., p. 53; July, p. 49; Aug., p. 103; Sept., p. 73; Oct., p. 143; Dec., p. 51
Silicones, Silicates ..... Apr., p. 53; Oct., p. 143
Vinyl Ethers ..... Apr., p. 37

Coatings Processes

Application Methods ..... Oct., p. 143
Cure ..... Feb., p. 71; July, p. 61; Oct., p. 127; Oct., p. 143; Dec., p 51; Dec., p. 75
Drying ..... Oct., p. 143; Nov., p. 21
Flow, Levelling ..... Jan., p. 56; Oct., p. 143
Heat and Mass Transfer ..... Feb., p. 71
Powder ..... June, p. 69; Oct., p. 135
Reaction Kinetics ..... May, p. 47; June, p. 69
Rheology ..... Jan., p. 56; June, p. 69
Solventborne ..... Nov., p. 21
Spray Application ..... Mar., p. 37
UV, EB, Radiation Cure ..... Apr., p. 53; July, p. 61; July, p. 69; Sept., p. 79
Waterborne ..... Jan., p. 75; Feb., p. 91; Mar., p. 37; Mar., p. 51 Apr., p. 45; May, p. 47; Sept., p. 73; Sept., p. 89; Oct., p. 143

Coatings Properties

Accelerated Testing ..... Apr., p. 37; June, p. 61; July, p. 61; Dec., p. 67
Adhesion ..... Feb., p. 91; Mar., p. 67; May, p. 61; Aug., p. 75; Oct., p. 135; Dec., p. 67
Appearance ..... Mar., p. 61; Mar., p. 67; July, p. 73; Oct., p. 143; Dec., p. 51
Biofouling, Antifouling ..... June, p. 77
Blend Toughness ..... Sept., p. 61
Color Measurement ..... July, p. 73
Corrosion ..... June, p. 61; Aug., p. 75
Defects ..... Jan., p. 56; Aug., p. 75; Dec., p. 67
Durability ..... Feb., p. 85; Mar., p. 67; Aug., p. 75
Film Formation ..... Sept., p. 89
Flow, Levelling ..... Jan., p. 56; Apr., p. 37; Oct., p. 143
Gloss ..... Apr., p. 45
Hardness, Scratch Resistance ..... Jan., p. 75; July, p. 49; Sept., p. 73; Oct., p. 143; Dec., p. 51
Mechanical Properties ..... Apr., p. 53; June, p. 69; July, p. 49; Sept., p. 61; Sept., p. 89
Mildew ..... Mar., p. 67
Physical Properties ..... Jan., p. 75; May, p. 47; Sept., p. 73; Dec., p. 59
Service Life Prediction ..... Aug., p. 75
Solvent Resistance ..... Oct., p. 143
Stain Resistance ..... Oct., p. 143; Dec., p. 51
Weatherability ..... Feb., p. 85; Apr., p. 37; Aug., p. 97; Aug., p. 103

Computer Applications

Data Analysis, Statistics ..... July, p. 73; Dec., p. 51
Design of Experiments ..... Oct., p. 143
Fractal Analysis ..... Oct., p. 143
Scanner Calibration ..... July, p. 73

Environmental Concerns, Regulations

Acid Rain ..... July, p. 49
Air Quality ..... Oct., p. 143
Chrome-free ..... May, p. 61; May, p. 69; Aug., p. 87
Emissions ..... Dec., p. 75
Pollution ..... Oct., p. 143
VOC Control ..... Jan., p. 75; Feb., p. 91; Oct., p. 143

Formulation

High Solids ..... Nov., p. 21
Solvents ..... Feb., p. 91; Apr., p. 45
Statistical Design ..... Oct., p. 143

Pigments

Photocurable Dyes ..... July, p. 69
Surface Chemistry ..... Jan., p. 87
Titanium Dioxide ..... June, p. 53
Zinc-based ..... Mar., p. 67

Polymers, Polymerization, Polymeric Components

Acrylics ..... Apr., p. 53; May, p. 47; July, p. 69; Oct., p. 143
Alkyds ..... Nov., p. 21
Amines, Amides ..... Apr., p. 45
Epoxy ..... Oct., p. 135
Isocyanates ..... Oct., p. 143
Melamine ..... May, p. 47
Urethane ..... Jan., p. 75; Apr., p. 53; Sept., p. 73; Oct., p. 143

Pretreatment, Conversion Coating

Chromate Replacements ..... May, p. 61; May, p. 69
Phosphate ..... Dec., p. 59

Solvents

VOC ..... Jan., p. 75; Apr., p. 45; Sept., p. 73; Oct., p. 143

Substrates

Aluminum ..... Mar., p. 67; May, p. 61; Aug., p. 87
Coating-Substrate Interface ..... Feb., p. 91; Aug., p. 75 Dec., p. 67
Iron, Cast Iron, Steel ..... Feb., p. 71; Apr., p. 45; May, p. 61 May, p. 69; June, p. 61; Aug., p. 75; Aug., p. 87
Chrome-free ..... May, p. 61; Aug., p. 87
Plastics ..... Feb., p. 91
Polyurethanes ..... Jan., p. 75; Sept., p. 73
Surface Chemistry ..... May, p. 61; May, p. 61; May, p. 69; Aug., p. 87; Aug., p. 103
Thermoplastic Olefins ..... Feb., p. 91
Wood ..... Mar., p. 61; Mar., p. 67; May, p. 61; Aug., p. 97; Aug., p. 103; Oct., p. 143; Dec., p. 51

Alphabetical Listing of Papers

Application of Digital Image Analyses to Measure Print Quality—W. Lim and S. Mani, July, p. 73.

Changing Nature of Wood Products—What Does it Mean for Coatings and Finish Performance?—C. Jourdain, J. Dwyer, K. Kersell, D. Mall, K. McClelland, R. Springate, and S. Williams, Mar., p. 61.

Characterization of Infrared Absorption by Powder Coatings on Steel Panels—W.W. Carr, V.A. Williamson, E.G. McFarland, M.R. Johnson, A.L. Stewart, and W.E. Pasley, Feb., p. 71.

Chemisorption and Physical Adsorption of Light Stabilizers on Pigment and Ultrafine Particles in Coatings—G. Haacke, E. Longordo, J.S. Brinen, F.F. Andrawes, and B.H. Campbell, Jan., p. 87.

Chlorinated Maleinized Guayule Rubber as an Adhesion Promoter for Polypropylene—M.D. Foster and S.F. Thames, Feb., p. 91.

Crosslinking of Epoxy-Modified Phenol Novolac (EPN) Powder Coatings: Particle Size and Adhesion—B.D. Pennington, J.C. Grunlan, and M.W. Urban, Oct., p. 135.

Crosslinking vs. Interdiffusion Rates in Melamine-Formaldehyde Cured Latex Coatings: A Model for Waterborne Automotive Basecoat—M.A. Winnik, P. Pinenq, C. Krüger, J. Zhang, and P.V. Yaneff, May, p. 47.

Crosslinking with Malonate Blocked Isocyanates and with Melamine Resins—Z.A. He and W.J. Blank, Feb., p. 85.

Cure Behavior of Polyester-Acrylate Hybrid Powder Coatings—E. D. Dumain, T. Agawa, S. Goel, A. Toman, and A.S. Tse, June, p. 69.

Cure of Secondary Carbamate Groups by Melamine-Formaldehyde Resins—H.P. Higginbottom, G.R. Bowers, P.E. Ferrell, and L.W. Hill, July, p. 49.

Discrimination by EIS of Degradation Mechanisms in Lap Joints of Coated Metal Sheet—A. Bautista, J.A. González, E. Otero, M. Morcillo, and E. Almeida, June, p. 61.

Driers for High-Solids Coatings—R.W. Hein, Nov., p. 21.

Effect of Melamine-Formaldehyde Structure on Cure Response of Thermoset Coatings—L.W. Hill and S-B. Lee, Oct., p. 127.

Effects of Additives on the Performance of Two-Component Waterborne Polyurethane Coatings—S. X. Feng, P. Lunney, and R. Wargo, Oct., p. 143.

Electrochemical Impedance Spectroscopy as a Tool for Investigating the Quality and Performance of Coated Food Cans—P. Kern, A.L. Baner, and J. Lange, Dec., p. 67

Evaluation of Several Finishes on Severely Weathered Wood—R.S. Williams, P. Sotos, and W.C. Feist, Aug., p. 97.

FTIR Studies of the Effects of Outdoor Exposure on Varnish-Coated Wood Pretreated with CCB or Water Repellents—M.K. Yalinkilic, Y. Imamura, M. Takahashi, R. Ilhan, A.C. Yalinkilic, and Z. Demirci, Aug., p. 103.

High Performance Waterborne Coatings Based on Dispersions of a Solid Epoxy Resin and an Amine-Functional Curing Agent—E.C. Galgoci, P.C. Komar, and J.D. Elmore, Apr., p. 45.

In-Situ Phosphatizing Coatings I: An Air-Dried Lacquer System—C. Wang, Y-Y. Chuang, and C-T. Lin, May, p. 61.

In-Situ Phosphatizing Coatings II: A High-Solids Polyester Baking Enamel—T. Yu and C-T. Lin, May, p. 69.

In-Situ Phosphatizing Coatings III. A Water-Reducible Alkyd Baking Enamel—T. Yu and C-T. Lin, Aug., p. 87.

Interfacial Studies of Crosslinked Urethanes: Part III. Structure-Property Relationships in Polyester Waterborne Polyurethanes—M.W. Urban, C.L. Allison, C.C. Finch, and B.A. Tatro, Jan., p. 75.

Interfacial Studies of Crosslinked Urethanes: Part IV. Substrate Effect on Film Formation in Polyester Waterborne Polyurethanes—M.W. Urban and C.L. Allison, Sept., p. 73.

Inverse Gas Chromatography, Surface Properties, and Interactions Among Components of Paint Formulations—A. Ziani, R. Xu, H.P. Schreiber, and T. Kobayashi, June, p. 53.

Measurement of Condensate- and Smoke-Causing Emissions from Automotive Paints and Sealers—M.A. Ferman, D.N. Rai, J.C. Simmer, and S.F. Kia, Dec. p. 75

Micro-Mechanic Model for Cathodic Blister Growth in Painted Steel—T-J. Chuang, T. Nguyen, and S. Lee, Aug., p. 75.

Mildew and Mildew Control for Wood Surfaces—S. Bussjaeger, G. Daisey, R. Simmons, S. Spindel, and S. Williams, Mar., p. 67.

New High Performance Two-Component Wood Coatings Comprised of a Hydroxy Functional Acrylic Emulsion and a Water-Dispersible Polyisocyanate—S.X. Feng, M. Dvorchak, K.E. Hudson, C. Renk, T. Morgan, V. Stanislawczyk, F. Shuster, D. Todd, H. Bender, and J. Papenfuss, Dec., p. 51

Parameters Influencing the Spray Behavior of Waterborne Coatings—L.-I. Xing, J.E. Glass, and R.H. Fernando, Mar., p. 37.

Photocuring Activity of Several Commercial, Near UV Activated Photoinitiators in Clear and Pigmented Systems—J. Segurola, N.S. Allen, M. Edge, A. Parrondo, and I. Roberts, July, p. 61.

Preparation and Physical Properties of Polyurethane Flame Retardant Coatings Using Phosphorus-Containing Lactone Modified Polyesters—H-S. Park, S-Y. Kwon, K-J. Seo, W-B. Im, J-P. Wu, and S-K. Kim, Dec., p. 59

Quantitative Method for Determination of Thickener Equilibration in Coatings—G.D. Shay, K.R. Olesen, and D.L. Hardman, Mar., p. 51.

Role of Particle Size on Latex Deformation During Film Formation—C.S. Kan, Sept., p. 89.

Study of UV-Curable Coatings for Optical Fibers—G. Shen, X. Qu, W. She, X. Yu, Q. Sun, and H. Chen, Apr., p. 53.

Surface Defects: Diagnosis and Cure—C.K. Schoff, Jan., p. 56.

Surface-Fragmenting, Self-Polishing, Tin-Free Antifouling Coatings—P-L. Kuo, T-F. Chuang, and H-L. Wang, June, p. 77.

Thermodynamics of Deformation of Latex Blend Coatings and Its Implications for Tailoring Their Properties—N. Agarwal and R.J. Farris, Sept., p. 61.

UV Radiation Curing of Surface Coatings Based on ENR-Cycloaliphatic Diepoxide-Glycidyl Methacrylate System by Cationic Photoinitiators-Optimization of Process Variables Through Response Surface Morphology—R.N. Kumar, W-C. Kong and A. Abubakar, Sept., p. 79.

UV-Curable, Special Coding Inks for Optical Fibers—G. Shen, W. She, X. Qu, X. Yu, Q. Sun, W. Liu, and G. Ron, July, p. 69.

Weather Stabilization and Pigmentation of UV-Curable Powder Coatings—L. Misev, O. Schmid, S. Udding-Louwrier, E. Sjoerd de Jong, and R. Bayards, Apr., p. 37.

Educational Series

Exterior Durability—Z.W. Wicks, Jr., F.N. Jones, and S.P. Pappas, Jan., p. 53.; Feb., p. 61; Mar., p. 31; Apr., p. 31;

Powder Coatings—Z.W. Wicks, Jr., F.N. Jones, and S.P. Pappas, May, p. 41; June, p. 47; July, p. 43; Aug., p. 67.

Open Forum

Helping Technical Professionals Build Successful Careers—J. Younger and K. Sandholtz, Apr., p. 59.

The Coating Chemist as Expert Witness—R.D. Athey, Jr., July, p. 79

Spotlights

Solvents—R.L. Stout, May, p. 79.

Author Index

Abubakar, A.—See Kumar, R.N.

Agarwal, N. and Farris. R.J.—Thermodynamics of Deformation of Latex Blend Coatings and Its Implications for Tailoring Their Properties, Sept., p. 61.

Agawa, T.—See Dumain, E.D.

Allen, N.S.—See Segurola, J.

Allison, C.L.—See Urban, M.W.

Allison, C.L.—See Urban, M.W.

Almeida, E.—See Bautista, A.

Andrawes, F.F.—See Haacke, G.

Baner, A.L.—See Kern, P.

Bautista, A., González, J.A., Otero, E., Morcillo, M., and Almeida, E.—Discrimination by EIS of Degradation Mechanisms in Lap Joints of Coated Metal Sheet, June, p. 61.

Bayards, R.—See Misev, L.

Bender, H.—See Feng, S.X.

Blank, W.J.—See He, Z.A.

Bowers, G.R.—See Higginbottom, H.P.

Brinen, J.S.—See Haacke, G.

Bussjaeger, S., Daisey, G., Simmons, R., Spindel, S., and Williams, S.—Mildew and Mildew Control for Wood Surfaces, Mar., p. 67.

Campbell, B.H.—See Haacke, G.

Carr, W.W., Williamson, V.A., McFarland, E.G., Johnson, M.R., Stewart, A.L., and Pasley, W.E.—Characterization of Infrared Absorption by Powder Coatings on Steel Panels, Feb., p. 71.

Chen, H.—See Shen, G.

Chuang, T-F.—See Kuo, P-L.

Chuang, T-J., Nguyen, T., and Lee, S.—Micro-Mechanic Model for Cathodic Blister Growth in Painted Steel, Aug., p. 75.

Chuang, Y-Y.—See Wang, C.

Daisey, G.—See Bussjaeger, S.

Demirci, Z.—See Yalinkilic, M.K.

Dumain, E.D., Agawa, T., Goel, S., Toman, A., and Tse, A.S.—Cure Behavior of Polyester-Acrylate Hybrid Powder Coatings, June, p. 69.

Dvorchak, M.—See Feng, S.X.

Dwyer, J.—See Jourdain, C.

Edge, M.—See Segurola, J.

Elmore, J.D.—See Galgoci, E.C.

Farris, R.J.—See Agarwal, N.

Feist, W.S.—See Williams, R.S.

Feng, S.X., Lunney, P., and Wargo, R.—Effect of Additives on the Performance of Two-Component Waterborne Polyurethane Coatings, Oct., p. 143.

Feng, S.X., Dvorchak, M., Hudson, K.E., Renk, C., Morgan, T., Stanislawczyk, V., Shuster, F., Todd, D., Bender, H., and Papenfuss, J.—New High Performance Two-Component Wood Coatings Comprised of a Hydroxy Functional Acrylic Emulsion and a Water-Dispersible Polyisocyanate, Dec., p. 51.

Ferman, M.A., Rai, D.N., Simmer, J.C., and Kia, S.F.—Measurement of Condensate- and Smoke-Causing Emissions from Automotive Paints and Sealers, Dec. p. 75.

Fernando, R.H.—See Xing, L-L.

Ferrell, P.E.—See Higginbottom, H.P.

Finch, C.C.—See Urban, M.W.

Foster, M.D. and Thames, S.F.—Chlorinated Maleinized Guayule Rubber as an Adhesion Promoter for Polypropylene, Feb., p. 91.

Galgoci, E.C., Komar, P.C., and Elmore, J.D.—High Performance Waterborne Coatings Based on Dispersions of a Solid Epoxy Resin and an Amine-Functional Curing Agent, Apr., p. 45.

Glass, J.E.—See Xing, L-L.

Goel, S.—See Dumain, E.D.

González, J.A.—See Bautista, A.

Grunlan, J.C.—See Pennington, B.D.

Haacke, G., Longordo, E., Brinen, J.S., Andrawes, F.F., and Campbell, B.H.—Chemisorption and Physical Adsorption of Light Stabilizers on Pigment and Ultrafine Particles in Coatings, Jan., p. 87.

Hardman, D.L.—See Shay, G.D.

He, Z.A. and Blank, W.J.—Crosslinking with Malonate Blocked Isocyanates and with Melamine Resins, Feb., p. 85.

Hein, R. W.—Driers for High-Solids Coatings, Nov., p. 21.

Higginbottom, H.P., Bowers, G.R., Ferrell, P.E., and Hill, L.W.—Cure of Secondary Carbamate Groups by Melamine-Formaldehyde Resins, July, p. 49.

Hill, L.W. and Lee, S-B.—Effect of Melamine-Formaldehyde Structure on Cure Response of Thermoset Coatings, Oct., p. 127.

Hill, L.W.—See Higginbottom, H.P.

Hudson, M.—See Feng, S.X.

Ilhan, R.—See Yalinkilic, M.K.

Im, W-B.—See Park, H-S.

Imamura, Y.—See Yalinkilic, M.K.

Johnson, M.R.—See Carr, W.W.

Jourdain, C., Dwyer, J., Kersell, K., Mall, D., McClelland, K., Springate, R., and Williams, S.—Changing Nature of Wood Products—What Does it Mean for Coatings and Finish Performance?, Mar., p. 61.

Kan, C.S.—Role of Particle Size on Latex Deformation During Film Formation, Sept., p. 89.

Kern, P., Baner, A.L., and Lange, J.—Electrochemical Impedance Spectroscopy as a Tool for Investigating the Quality and Performance of Coated Food Cans—, Dec., p. 67.

Kersell, K.—See Jourdain, C.

Kia, S.F.—See Ferman, M.A.

Kim, S-K.—See Park, H-S.

Kobayashi, T.—See Ziani, A.

Komar, P.C.—See Galgoci, E.C.

Kong, W-C.—See Kumar, R.N.
Krüger, C.—See Winnik, M.A.
Kumar, R.N., Kong, W-C., and Abubakar, A.—UV Radiation Curing of Surface Coatings Based on ENR-Cycloaliphatic Diepoxide-Glycidyl Methacrylate System by Cationic Photoinitiators-Optimization of Process Variables Through Response Surface Morphology, Sept., p. 79.
Kuo, P-L., Chuang, T-F., and Wang, H-L.—Surface-Fragmenting, Self-Polishing, Tin-Free Antifouling Coatings, June, p. 77.
Kwon, S-Y.—See Park, H-S.

Lange, J.—See Kern, P.
Lee, S.—See Chuang, T-J.
Lee, S-B.—See Hill, L.W.
Lim, W. and Mani, S.—Application of Digital Image Analyses to Measure Print Quality, July, p. 73.
Lin, C-T.—See Wang, C.
Lin, C-T.—See Yu, T.
Longordo, E.—See Haacke, G.
Lui, W.—See Shen, G.
Lunney, P.—See Feng, S.X.

Mall, D.—See Jourdain, C.
Mani, S.—See Lim, W.
McCelland, K.—See Jourdain, C.
McFarland, E.G.—See Carr, W.W.
Misev, L., Schmid, O., Udding-Louwrier, S., Sjoerd de Jong, E., and Bayards, R.—Weather Stabilization and Pigmentation of UV-Curable Powder Coatings, Apr., p. 37.
Morcillo, M.—See Bautista, A.
Morgan, T.—See Feng, S.X.

Nguyen, T.—See Chuang, T-J.

Olesen, K.R.—See Shay, G.D.
Otero, E.—See Bautista, A.

Papenfuss, J.—See Feng, S.X.
Park, H-S., Kwon, S-Y., Seo, K-J., Im, W-B., Wu, J-P., and Kim, S-K.—Preparation and Physical Properties of Polyurethane Flame Retardant Coatings Using Phosphorus-Containing Lactone Modified Polyesters, Dec., p. 59
Parrondo, A.—See Segurola, J.
Pasley, W.E.—See Carr, W.W.
Pennington, B.D., Grunlan, J.C., and Urban, M.W.—Crosslinking of Epoxy-Modified Phenol Novolac (EPN) Powder Coatings: Particle Size and Adhesion, Oct., p. 135.
Pinenq, P.—See Winnik, M.A.

Qu, X.—See Shen, G.

Rai, D.N.—See Ferman, M.A.
Renk, C.—See Feng, S.X.
Roberts, I.—See Segurola, J.
Ron, G.—See Shen, G.

Schmid, O.—See Misev, L.
Schoff, C.K.—Surface Defects: Diagnosis and Cure, Jan., p. 56.
Schreiber, H.P.—See Ziani, A.
Segurola, J., Allen, N.S., Edge, M., Parrondo, A., and Roberts, I.—Photocuring Activity of Several Commercial, Near UV Activated Photoinitiators in Clear and Pigmented Systems, July, p. 61.
Seo, K-J.—See Park, H-S.
Shay, G.D., Olesen, K.R., and Hardman, D.L.—Quantitative Method for Determination of Thickener Equilibration in Coatings, Mar., p. 51.
She, W.—See Shen, G.
Shen, G., Qu, X., She, W., Yu, X., Sun, Q., and Chen, H.—Study of UV-Curable Coatings for Optical Fibers, Apr., p. 53.
Shen, G., She, W., Qu, X., Yu, X., Sun, Q., Liu, W., and Ron, G.—UV-Curable, Special Coding Inks for Optical Fibers, July, p. 69.
Shuster, F.—See Feng, S.X.
Simmer, J.C.—See Ferman, M.A.
Simmons, R.—See Bussjaeger, S.
Sjoerd de Jong, E.—See Misev, L.
Sotos, P.—See Williams, R.S.
Spindel, S.—See Bussjaeger, S.
Springate, R.—See Jourdain, C.
Stanislawczyk, V.—See Feng, S.X.
Stewart, A.L.—See Carr, W.W.
Sun, Q.—See Shen, G.

Takahashi, M.—See Yalinkilic, M.K.
Tatro, B.A.—See Urban, M.W.
Thames, S.F.—See Foster, M.D.
Todd, D.—See Feng, S.X.
Toman, A.—See Dumain, E.D.
Tse, A.S.—See Dumain, E.D.

Udding-Louwrier, S.—See Misev, L.
Urban, M.W., Allison, C.L., Finch, C.C., and Tatro, B.A.—Interfacial Studies of Crosslinked Urethanes: Part III. Structure-Property Relationships in Polyester Waterborne Polyurethanes, Jan., p. 75.
Urban, M.W. and Allison, C.L. —Interfacial Studies of Crosslinked Urethanes: Part IV. Substrate Effect on Film Formation in Polyester Waterborne Polyurethanes, Sept., p. 73.
Urban, M.W.—See Pennington, B.D.

Wang, C., Chuang, Y-Y., and Lin, C-T.—In-Situ Phosphatizing Coatings I: An Air-Dried Lacquer System, May, p. 61.
Wang, H-L.—See Kuao, P-L.
Wargo, R.—See Feng, S.X.
Williams, R.S., Sotos, P., and Feist, W.S.—Evaluation of Several Finishes on Severely Weathered Wood, Aug., p. 97.
Williams, S.—See Bussjaeger, S.
Williams, S.—See Jourdain, C.
Williamson, V.A.—See Carr, W.W.
Winnik, M.A., Pinenq, P., Krüger, C., Zhang, J., and Yaneff, P.V.—Crosslinking vs. Interdiffusion Rates in Melamine-Formaldehyde Cured Latex Coatings: A Model for Waterborne Automotive Basecoat, May, p. 47.
Wu, J-P.—See Park, H-S.

Xing, L.-L., Glass, J.E., and Fernando, R.H.—Parameters Influencing the Spray Behavior of Waterborne Coatings, Mar., p. 37.
Xu, R.—See Ziani, A.

Yalinkilic, A.C.—See Yalinkilic, M.K.
Yalinkilic, M.K., Imamura, Y., Takahashi, M., Ilhan, R., Yalinkilic, A.C., and Demirci, Z.—FTIR Studies of the Effects of Outdoor Exposure on Varnish-Coated Wood Pretreated with CCB or Water Repellents, Aug., p. 103.
Yu, T. and Lin, C-T.—In-Situ Phosphatizing Coatings II: A High-Solids Polyester Baking Enamel, May, p. 69.
Yu, T. and Lin, C-T.—In-Situ Phosphatizing Coatings III. A Water-Reducible Alkyd Baking Enamel, Aug., p. 87.
Yu, X.—See Shen, G.

Zhang, J.—See Winnik, M.A.
Ziani, A., Xu, R., Schreiber, H.P., and Kobayashi, T.—Inverse Gas Chromatography, Surface Properties, and Interactions Among Components of Paint Formulations, June, p. 53.